About Daptiv Fall '09

1008 Western Avenue, Suite 500 Seattle, WA 98104

p. 206.341.9117 www.daptiv.com

Last Revised: August 27, 2009

Contents



Contents

Introduction to Daptiv Fall '09	3
Announcements	4
Daptiv PPM	5
Enhancements	5
Daptiv Scrum	6
New Features	6
Enhancements	6
Administrator Configuration Notes	7
Configurable Features in Daptiv PPM	
Configurable Features in Daptiv Scrum	7
Fixed Issues	8
Known Issues	11
Appendix	14
Data Model Changes	
Custom Pick Lists	
Using Time Tracking in Scrum	17
Using Calculated Fields in Scrum	
Using Custom Views in Related Lists and Lookup Fields	
Using Project Links in Related Lists and Lookup Fields	



Introduction to Daptiv Fall '09

Continuing a focus on quality, the Fall '09 Daptiv release improves existing functionality and fixes many customer issues, providing immediate benefits to users of Daptiv PPM, Daptiv Reports and Daptiv Scrum.

This document is designed to help you understand how new and changed features impact use of Daptiv, and to guide you in making decisions about how to configure new features (if applicable).

Fall '09 release includes:

PPM

Enhancements

- Reporting—You can now select the Email Report option when running a report with options. This addresses numerous customer-reported issues. For specific issues addressed, see the *Fixed Issues* list.
- Data Presentation Model—Timesheets folder is renamed Time Tracking. There is no impact to existing reports. For more information, see *Reporting Data Model Name Change*.
- Pick Lists include a "---Please Select---" option—Custom drop-down menu pick lists now automatically include a "---Please Select---" option. For more information, see Custom Pick Lists "Please Select" Option.
 - Note: This addresses a Greenhouse idea totaling 140 points.

Scrum

Note: These features and enhancements apply only to Daptiv Scrum.

New Features

- Time Tracking for Scrum Application Items—Add/edit/delete work entries for application items. For more information, see *Time Tracking in Scrum Applications*.
- o **Calculation Fields in Scrum Applications**—Applications now support calculation fields. For more information, see *Adding Calculation Fields to Scrum Applications*.
- Link to Projects in Related Lists and Lookup Fields—Link application data to projects in related lists and lookup fields. For more information, see *Linking to Projects in Related Lists and Lookup Fields*.

Enhancements

 Custom Views for Related Lists and Lookup Fields—Custom views help data selection in related lists and lookup fields. For more information, see *Using Custom Views in Related Lists and Lookup Fields*.



Announcements

Legacy Reporting has been discontinued

- Legacy Reporting Functions Are No Longer Available— As of the Fall '09 release of PPM, access to legacy reports and reporting functionality has been disabled.
 - In September 2008, Daptiv announced the coming removal of legacy reports and reporting functions. Subsequent reminders included email, and in-line notifications on applicable PPM pages starting in late January 2009.
 - For information about current PPM Reporting options, contact Daptiv Account Management at accountmanagement@daptiv.com or 1-888-621-8361.



Daptiv PPM

Enhancements

Reporting Data Model Name Change

In the Daptiv Reporting Data Model, the top-level **Timesheets** folder has been renamed **Time Tracking**. This change is for clarity (the folder contains query items for more than just Timesheets) and has no impact on new or existing reports. To see how this changes the model, see *Data Model Changes* in the Appendix.

Custom Pick Lists include "--- Please Select ---" option

Custom pick lists using a Drop-down Menu format now automatically include a built-in "--- **Please Select** ---" display option, improving usability by eliminating the need to create this option manually. This option is visible in item details. It is not visible or available for filtering in list views or reports.

- If the field is required, "---Please Select---" is not a valid option (users are forced to select another option).
- o If the field is optional (not required)"---Please Select---" is a valid option (users do not need to select another option).
- If no user-provided option is selected (if the field is optional), it displays as blank in global application list views and in reports and does not appear as a filter option in either.

Important: If customers have created a similar option ("**Select One**" for example), the administrator needs to edit the field to remove this option, or the pick list menu will display both options. For more information, see *Configurable Features in Daptiv PPM*.

For more information, see *Custom Pick Lists* in the Appendix.



Daptiv Scrum

New Features

Time Tracking in Scrum Applications

You can now add work to any application item in Daptiv Scrum. Adding work to an item allows you to enter time against an item and treat the item like a task. Once added, the work entries can be edited or deleted and can be reported on. Work in solution applications is tracked separately from other Daptiv work and does not appear on timesheets. **Note:** All transactions are preserved for audit and history purposes. For more information, see *Using Time Tracking in Scrum* in the Appendix.

Adding Calculated Fields to Scrum Applications

Scrum administrators can add calculated fields to Scrum applications to display read-only results of basic mathematical functions (+, -, *, /) performed on numeric fields in the same application. For more information, see *Using Calculated Fields in Scrum* in the Appendix.

Related Fields/Lookup Fields support link to Projects

You can now link application items to projects in lookup fields and related lists. **Note:** Only project fields are available. Project-related application data is not available for linking. For more information, see *Using Project Links* in the Appendix.

Enhancements

Using Custom Views in Related Lists and Lookup Fields

You can now select a custom view to display the item options for related lists and lookup fields. This gives you flexibility and increased usability by allowing you to see the data you need when choosing items for related lists and lookup fields. For more information, see *Using Custom Views in Related Lists and Lookup Fields* In the Appendix.

Numeric Fields support "Currency" option

Application numeric fields now include a **Show Currency Symbol** option. When selected, the field includes a currency symbol (based the Daptiv Currency setting). For more information, see the Daptiv Solutions Online Help.



Administrator Configuration Notes

This section outlines the new and enhanced Daptiv features that require configuration by administrators when upgrading to Fall '09 Edition, or about which administrators may be interested. For most Daptiv users (non-administrators) this information does not directly apply.

Configurable Features in Daptiv PPM

The automatic "--- Please Select ---" option for drop-down pick lists requires that administrators or creators of dynamic applications edit any existing pick lists that use the drop-down menu format and include a customer-created option similar to "Please Select." Until such lists are edited, two similar options display, the system default, and the customer-created option. For more information, see Custom Pick Lists in the Appendix.

Configurable Features in Daptiv Scrum

- Solution designers can now link to projects from Lookup Fields and Related Lists. For details, see the *Linking to Projects* in the Appendix.
- Solution designers can now add Calculation Fields to Scrum applications. For details, see Adding Calculation Fields to Applications in the Appendix.



Fixed Issues

The Daptiv Fall '09 release fixes the following issues.

A ===	
Area	Cummany
Issue ID	Summary
Administration	0 (11 5 () 5 () 5 () 5 () 5 ()
	Cannot delete Enterprise Role. – Support case 50476,
	50846, 51091, 51330, 51784, 51897, 52127, 52432, 52544,
	53218, 53309, 53466, 53497, 54084, 54418, 54691, 54763,
56713	55051
	Inactivating a user results in gateway timeout. Locks up app
57565	until timeout threshold is met. – Support Case 54435
	Afghanistan is the default country when creating a new
57664	external resource – Support case: 54684
Custom Fields	
	Exception when creating a multi select pick list – Support
51097	Case: 51097
Custom Views	
	Cannot filter on integer except 0 in custom views – Support
57311	case: 53093
Dynamic Application	ns
	Creating a view with a filter within the project DA does not
	work with Firefox – Support case: 48001, 48808, 48912,
56508	50732
	Cross referenced value is null when editing DA item –
57708	Support case: 54794
Executive Tab	1.1
	Exception error when attempting to view the scorecard for a
	specific executive custom view– Support case: 47815,
56257	48589, 49996, 50036, 50676, 51212, 52126
Gantt	, , , , , , , , , , , , , , , , , , , ,
	When copy and paste of task the assignee isn't showing on
	the new task but is receiving email notifications – Support
56932	case: 51127
Gantt Chart (printable)	
- Sint Grist (printed)	Error when Print Gantt Chart selected – Support case:
51849	40747, 42703, 43559, 47025, 48979, 50958, 50979
Issues	10. 1., 12.00, 10000, 11.020, 10010, 00000, 00010
10000	Mark Issues as Complete, doesn't change the % complete
57484	- Support case: 53896, 53907, 54123, 54701, 55187
J1404	Support 6636. 55590, 55901, 54125, 54101, 55101



Notifications		
	User assigned to a project during creation from project	
	request as a member gets a notification stating their role is	
	a project manager – Support case: 34608, 30941, 35622,	
	36021,36737, 39970, 40796, 40856, 43320, 43654, 50006,	
47513	50196, 51927, 52537, 54074, 54103, 54254	
	Resource requirement hours reduction notification	
	misleading – Support case: 43968,46383,47348, 48056,	
53709, 57757	48837, 50756, 52281, 52926, 53239, 53336, 53658	
	System notifications not being delivered when "Everyone	
	Else" is checked. – Support case: 48761, 48855, 49307,	
56520	51077, 52704, 52763, 53433, 54907, 54966	
Project Admin		
	Projects in DAFWA enterprise cannot be deleted – Support	
53679	case: 42461	
	Total Estimated Cost status field is incorrect. – Support	
57184	case: 52540	
	Archive Project alert (message) missing punctuation. It has	
57373	no question mark. – Support case: 53333	
Project Requests		
	Can't download documents from a project request. –	
57269	Support case: 52798	
Reports (PPM)		
	WI Report; error when running report for delivery by e-mail	
	- Support case: 32957, 34360, 35569, 36138, 40640,	
	43198, 47655, 48052, 48962, 51109, 52078, 52203, 52321,	
47242	52736, 54172	
53297	Email Report Error – Support case: 43198	
	Error when you try to Run Report with Options – Support	
55025	case: 45543	
	Error when running Cognos report with options and	
	emailing – Support case: 46457,47193, 47485, 47950,	
	49517, 49821, 51248, 51364, 51655,51596, 51980, 51924,	
55835	53990, 53994, 54342, 54165, 55134, 55388, 55250	
	Error when trying to schedule a report. – Support case:	
55916	46488, 47358, 52007, 55091	
	Task Dependency ID is not correct in RB – Support case:	
56667	50125	
	The Assignee Full Name field from Task Planned Work field	
	will incorrectly show the name of an unassigned user if they	
56752	add actual work to the task – Support case: 50629	
	'Run with Options' emails not sent if prompts aren't set.	
57146	Message says otherwise. – Support case: 51873	
55916 56667 56752	49517, 49821, 51248, 51364, 51655,51596, 51980, 51924, 53990, 53994, 54342, 54165, 55134, 55388, 55250 Error when trying to schedule a report. – Support case: 46488, 47358, 52007, 55091 Task Dependency ID is not correct in RB – Support case: 50125 The Assignee Full Name field from Task Planned Work field will incorrectly show the name of an unassigned user if they add actual work to the task – Support case: 50629 'Run with Options' emails not sent if prompts aren't set.	



Resource Manageme	
	Resource is assigned a project role of a diff project type
57031	when allocated to project– Support case: 51776
Resource Types	
	Deleted resource types appear when creating new resource
	requests from the project resource allocation screen –
	Support case: 30202, 36467, 37218, 38343, 38493, 39918,
	39991, 40114, 40287, 43758, 48609, 49498, 52767, 53034,
50164	54805
	When deleting a resource type an error is thrown if the
	character maximum is reached when appending the
	"deleted" text - Support case: 38342, 39514, 39849, 40657,
50181	40680, 40684, 40772, 43576, 44925, 46312, 52839, 54158
	Email sent to resource manager when they reallocate a
57466	user in Team Manager – Support case: 53589
Tasks	
	Attempting to view tasks in the outline view causes
	exception. – Support case: 37726, 38385, 41518, 41901,
49434	46401, 47229, 47911, 50341, 54935, 55016, 55087, 55293
	Deleting summary tasks locks up browser – Support case
57559	54078, 54347
Templates	
	Attempt to Generate Project from Project Request &
	Template Causes Error – Support case: 27162, 27217,
	28832, 31008, 31015, 31834, 33002, 33313, 33751, 35922,
	36405, 38649, 38867, 42496, 42528, 42600, 42606, 42637,
48670	43041, 43091, 43125, 44089, 44359, 46481, 48642, 50555
Web Services (Business Services)	
	Error when updating user profile using web services 1.0 –
57788	Support case 55104



Known Issues

The Daptiv Fall '09 release includes the following known issues.

-	
Area	
Issue ID	Summary
Administration	
	Changing the email address of an imported user can cause
57858	an exception error.
Custom Fields	
	Updating a task that includes a numeric cross-reference
	field (Issue ID for example) can cause an error.
	, ,
	Workaround: Do not use numeric values for cross-reference
57941	fields.
Dynamic Application	
ушини гършини	Dividing by 0 (zero) in a calculation field gives results as if
	you divided by 1 rather than displaying an error.
	you divided by Tradior than displaying all error.
57879	Workaround: Avoid dividing by 0 where you can control this.
Gantt	Tremareana. Treata arriaing by a where you can control the.
Janu	Copying and pasting multiple tasks when the duration is
	long (400+ days) can cause a timeout.
	long (400+ days) can cause a lineout.
57974	Workaround: Copy/paste the tasks individually.
Notifications	workaround. Copy/paste the tasks individually.
Notifications	Adding a decument with large numbers of years (250) on
	Adding a document with large numbers of users (250) on
	the Notifications & Permissions list can cause the add to
	fail.
	Wednesday to Depart calcut laws a continue of the continue of
F=00.4	Workaround: Do not select large numbers of users for the
57884	Notifications & Permissions list.
Scrum	
	Publishing does not save a required a lookup field as
57940	required when the field links to Projects.
	Publishing a solution with a date field set to User's Current
	Date, if the user's culture setting is configured for a culture
	that uses dd/mm/yyyy date format causes an error.
	Workaround: Use a culture setting that uses a mm/dd/yyy
57771	date format.



Very large calculated or aggregated values (greater than 18 digits preceding the decimal) cause an error. Very large calculated or aggregate values (greater than 18 digits preceding the decimal) cause an error in application list views. Calculation fields producing very large results cause a conversion error and loss of the application. In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is 57914 switched after the solution is published. Application item details can display the Update Notes as 57880 XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project.	Scrum (continued)	
Very large calculated or aggregate values (greater than 18 digits preceding the decimal) cause an error. Very large calculated or aggregate values (greater than 18 digits preceding the decimal) cause an error in application list views. Calculation fields producing very large results cause a conversion error and loss of the application. In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is 157967 linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is 57914 switched after the solution is published. Application item details can display the Update Notes as 57880 XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project.	Continued)	Very large calculated or aggregated values (greater than 19
digits preceding the decimal) cause an error in application list views. Calculation fields producing very large results cause a conversion error and loss of the application. In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57660	digits preceding the decimal) cause an error.
57919 list views. Calculation fields producing very large results cause a conversion error and loss of the application. In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Calculation fields producing very large results cause a conversion error and loss of the application. In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project.		digits preceding the decimal) cause an error in application
S7926 conversion error and loss of the application.	57919	
In rare cases, deleting an application field in the solution designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		Calculation fields producing very large results cause a
designer can cause a javascript error. Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57926	conversion error and loss of the application.
Workaround: Cancel out of the solution designer and go back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		In rare cases, deleting an application field in the solution
57929 back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		designer can cause a javascript error.
57929 back into it. Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Saving a copy of a custom view with a name longer than 100 characters cause an error. Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as 57880 XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project.		Workaround: Cancel out of the solution designer and go
Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project.	57929	back into it.
Workaround: Limit the length of a view name to fewer than 100 characters. Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		100 characters cause an error.
Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Custom views that include the root field linked to itself (with a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		Workaround: Limit the length of a view name to fewer than
a related list, for example) do not display that item as the first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57952	100 characters.
first field in the view. Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		Custom views that include the root field linked to itself (with
Workaround: In a custom view, do not include a field that is linked to itself. In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		a related list, for example) do not display that item as the
In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		first field in the view.
In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
In a small number of specific cases, a custom view in a related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		Workaround: In a custom view, do not include a field that is
related list that links to projects can cause a browser hang. The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57967	linked to itself.
The larger the number of projects included in the view, the more likely this is. Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		In a small number of specific cases, a custom view in a
Morkaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		related list that links to projects can cause a browser hang.
Workaround: Use a custom view that limits the number of displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		The larger the number of projects included in the view, the
57921 displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		more likely this is.
57921 displayed projects. Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Application item details can display an incorrect currency symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
symbol if there is a link to a project and the user's culture is switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57921	
57914 switched after the solution is published. Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		
Application item details can display the Update Notes as XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		symbol if there is a link to a project and the user's culture is
57880 XML when a project is linked to the item. Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes	57914	
Application item details show an ID rather than a project request name when the item is linked to a project. Application item details can display blank Approval Notes		Application item details can display the Update Notes as
57881 request name when the item is linked to a project. Application item details can display blank Approval Notes	57880	XML when a project is linked to the item.
Application item details can display blank Approval Notes		Application item details show an ID rather than a project
Application item details can display blank Approval Notes	57881	request name when the item is linked to a project.
E7024 when a project in linked to the item		
3/924 when a project is linked to the item.	57924	when a project is linked to the item.



Scrum (continued)	
	If an application field has the same name as a native ID
	field (application name is Feature and field is Feature ID, for
57774	example), report queries cannot be joined on that field.
	Changing a lookup field from a project reference to an
	application reference causes the lookup to show as blank in
	the solution designer (reference reverts to Project").
57922	
	Changing an application field name is not always correctly
57935	reflected in reports.
Tasks	
49361	Planned Labor revenue is not always accurately displayed.
	Last Update Notes field sometimes displays resource key
56688	codes rather than correct update notes.
	Adjusting a project schedule can time out if there are large
	numbers (1000+) tasks in the project.
	Workaround: Do not click "Yes" when prompted with the
	offer to automatically create a baseline and adjust the
	schedule. Editing individual tasks will adjust them
57971	appropriately.
37071	Expanding multiple summary tasks in outline view can more
	than a minute to open in large projects.
	Workaround: Avoid expanding multiple summary tasks if
57932	your project has large numbers of tasks.
User Experience	
•	When a user changes their own email address, they can no
	longer log in.
54313	Workaround: The administrator must reset the password.



Appendix

Data Model Changes

In the Daptiv Reporting Data Model, the top-level **Timesheets** folder has been renamed to **Time Tracking** to better reflect the contents of the folder.

There is no impact to existing or new reports.

How this change affects the Data Model

Prior to Fall '09	As of Fall '09
Acme Corp (9F9AC) Presentation Project Information Resource Management Timesheets Timesheets Timesheet Tasks Task Work Entries Timesheet Filters Applications Solutions	Acme Corp (9F9AC) Presentation Project Information Resource Management Time Tracking Timesheets Timesheet Tasks Task Work Entries Timesheet Filters Applications Applications Solutions
Note: The top-level Solutions folder only appears for enterprises that include Daptiv Scrum.	 Notes: The top-level Solutions folder only appears for enterprises that include Daptiv Scrum. The Solution Work Entries query subject in the Time Tracking folder only appears for enterprises that include Daptiv Scrum.




Custom Pick Lists

Custom pick lists using the Drop-down Menu format now include a "---Please Select---" display option. When no default option is specified, this option displays to users. If the list is required (the user must make a selection), the "---Please Select---" option does not satisfy the selection criteria and the user will be forced to select an option.

"---Please Select---" displays to the user but does not appear as an option when creating or editing the pick list. It cannot be removed from the pick list. The option does not display in list views or reports and is not available for filters in either list views or reporting.

How it works

Create a **Drop-down Menu** type pick list:



When selecting an option the user sees a "---Please Select---" option in addition to the defined options:



Note: "---Please Select---" is always the first option in the list. If no default option is specified when the list is created, "---Please Select---" is displayed.




Impact to users

Existing pick lists using the drop down format and including customer-created options like "--
Please Select---" will have multiple similar options. The first option ("---Please Select---") is
the system default option. Any other options with similar wording are options added by the pick
list creator. To eliminate confusion, an administrator or dynamic application creator should edit
the pick lists and remove these customer-created options.


Example:

An existing pick list "Manual Status Field" includes a default option of "Please Choose One".


The list options before Fall '09 update:



List options after Fall '09 update:



List options after Fall '09 and editing by administrator:





Using Time Tracking in Scrum

How it works


To add work to an application item in Daptiv Scrum navigate to a list view that includes the application item(s) to which you want to add work.

TO ADD WORK TO AN ITEM:

- 1. In a list view for an application, select one or more of the items to which you want to add work.
- 2. Click Checked Item Actions and Track Work:



The Track Work window opens.



3. Type the date for which you want to add work, or click the Calendar icon to select a day. **Note:** The **Date** defaults to the current date.




4. Type the time worked in **Time Worked**.

You can enter time in two ways:

- As a decimal number of hours (1, 1.5, 6.25)
- As hours and/or minutes with a qualifier (1h, 1 h 30m, 90m, 6h 15m)

Note: The time you enter is always displayed as hours and minutes in the listing of time entries:



- 5. Type any notes you want to add about the work you are adding.
- 6. Click **Submit** to save the work.



Using Calculated Fields in Scrum

Add calculation fields to Daptiv Scrum applications and use them to display the results of basic mathematical functions performed on data in the application.

How it works


Solution designers can add a calculation field to an application and configure it to display the results of basic mathematical operations performed on other numeric fields in the same application.

TO ADD A CALCULATION FIELD (FOR SOLUTION DESIGNERS):

- 1. In the Solution Designer, in a Daptiv Scrum, add a calculation field to an application.
- 2. In the Properties of the field, build a formula by selecting numeric fields from the **Available Fields** list and mathematical operators from the **Available Operators** list.



The formula you create displays in the Enter Formula box.



Note: You can also type the formula by hand.

The field displays a read-only value to the user. For more information, see the Online Help for Daptiv Solutions.



Using Custom Views in Related Lists and Lookup Fields

You can choose an existing custom view to display a list of items when you are adding data to a related list or lookup field in Daptiv Scrum. This provides flexibility, giving you the ability to see items ordered or sorted as you have specified. The view you select persists until you select a different one, even if you log out of Daptiv.

How it works

When you add data from a related list or a lookup field, available application items are displayed in a view defined by the solution designer. This default view may not be the best one from which to select items.

TO CHANGE THE VIEW OF AVAILABLE ITEMS:

- 1. In the details of an application item:
 - In a related list, click Add <item>s or
 - In a lookup field, click Insert Data.

A list of available items opens.

2. At the top of the list, click **More Views** and select another custom view:



Note: The views listed are the views available to you in the application whose items you are viewing, not the application to which you are adding data.

For more information, see the Online Help for Daptiv Solutions.



Using Project Links in Related Lists and Lookup Fields


You can choose a project when you are adding data to a related list or lookup field in Daptiv Scrum. This gives you the ability to associate application items with projects, and to display project data in application items.

How it works


Solution designers can select a **Projects** option when configuring a related list or lookup field. With this option selected, users add projects when they create or edit an item in the application.

TO CONFIGURE A LINK TO PROJECTS:

- 1. In the Solution Designer, in Daptiv Scrum, add a related list or lookup field to an application.
- 2. In the properties for the field, select **Projects** from the **Include records from** list.



3. If you are configuring a related list, select the project field(s) you want to display in the list. **Project Name** is selected by default and cannot be unselected.



Note: If you are configuring a lookup field, the only available field is **Project Name**.

The user can select a project (in lookup fields) or projects (in related lists) to link to their application data. For more information, see the Daptiv Solutions Online Help.