## **Managing Hazardous Waste**

#### Determine

If you do not know if specific waste is hazardous, check to see is the material is on one of the EPA Lists or the Massachsetts List. If not, check the label(s) to determine if these criteria apply:





#### Ignitable

- Liquids with flash point of < 60°C/140 °F
- · Solids that burn spontaneously
- · Flammable compressed gas
- Oxidizers

#### Reactive

- · Unstable material
- Explosive material
- Water reactive material
- · Cyanide or sulfide-bearing waste





#### Corrosive

pH <2 or >12.5

#### Toxic


39 Contaminants listed on TCLP Table

In Massachusetts, waste petroleum oils and lubricants are Hazardous Waste

#### Accumulate



- Place in designated satellite accumulation area (SAA).
- Segregate incompatible waste.
- · Provide secondary containment.
- Keep containers closed except while adding waste.
- Inspect satellite accumulation area weekly to ensure that all containers are closed, in good condition, and labled.
- When container is full, record date. Full hazardous waste containers must be removed to your facility's designated < 90 Day Storage Area, or prepare for pickup.



### Dispose

 To notify EHS for pickup, use online form, http://web.mit.edu/environment/wastepickup/

# Hazardous Waste Label

# HAZARDOUS WASTE

FEDERAL LAW PROHIBITS IMPROPER DISPOSAL

IF FOUND, CONTACT THE NEAREST POLICE OR PUBLIC SAFETY AUTHORITY OR THE U.S. ENVIRONMENTAL PROTECTION AGENCY

PROPER SHIPPING NAME \_\_\_\_\_

GENERATOR \_\_\_\_\_

ADDRESS STATE ZIP

EPACERTIFICATENO \_\_\_\_\_MANIFESTNO \_\_\_\_

DATE OF ACCUMULATION

**CONTAINS HAZARDOUS OR TOXIC WASTE** 

HANDLE WITH CARE

Spell out contents:

- Do not use abbreviations
- Do not use formulas.
- List percentages for mixtures

List all associated hazards

Generator Name, i.e. MIT

Record date when finish accumulating

STYLE HWY Selon hierre Plate Corporation, New Haven, CT 86525.